

Cholesterol Reference Method Laboratory Network

HDL Cholesterol Information Form

The following information form should be completed carefully and accurately. This information will be used to prepare your Certificate of Traceability.

- Please photocopy this blank form and retain it for future submissions.
- Please prepare a copy of your data and retain it for laboratory records.

For registered products, please indicate preferred designation: Registered Trademark ® or Trademark ™.

Laboratory Name

Laboratory Address

Contact Name

Phone

Email Address

Fax

Send Bill To

(If different from above.)

PO Number

Date Specimens Sent

Date Specimens Received

Comparison Date

Instrument		Reagent	
Manufacturer		Manufacturer	
Trade Name		Trade Name	
Model Number		Lot Number(s)	
Separation Method		Calibrator	
Separation Method		Manufacturer	
Precipitation Method		Trade Name	
Manufacturer		Lot Number(s)	
Trade Name		Calibrator Set Point(s)	
Lot Number		Matrix/Sample Type	
Homogeneous Method		Matrix/Sample Type	
Homogeneous Method		Anticoagulant (If Applicable)	
Principle		Concentration	

CRMLN Laboratory: Complete this section and send the form to Mahnaz Dasti at CDC.

Fax: (770) 488-4192, Email: mdasti@cdc.gov

CRMLN Laboratory Name

Date of Data Analysis

Date Report Received

Date Certificate Sent

Director's Signature

Check One: Passed Failed

Cholesterol Reference Method Laboratory Network

HDL Cholesterol

Fresh Sample Comparison Results Form

Please photocopy this blank form and retain it for future comparisons.

[illegible][illegible]

Questions about this protocol should be directed to the CRMLN Laboratory.

Cholesterol Reference Method Laboratory Network

HDL Cholesterol Specimen Distribution Form

The following chart is supplied to assist you (or the off-site laboratory which supplies you with sera) in selecting specimens that will adequately cover the concentration ranges recommended by this protocol. *[This form is provided as an aid; it is not necessary to return it to the CRMLN laboratory.]*

Please photocopy this blank form and retain it for future comparisons.

HDL Cholesterol Specimen Distribution

Concentration (mg/dL)	20-29	30-39	40-49	50-59	60-69
Number Needed	(5)	(5)	(5)	(5)	(5)
1.	1.	1.	1.	1.	1.
2.	2.	2.	2.	2.	2.
3.	3.	3.	3.	3.	3.
4.	4.	4.	4.	4.	4.
5.	5.	5.	5.	5.	5.
6.	6.	6.	6.	6.	6.
7.	7.	7.	7.	7.	7.
8.	8.	8.	8.	8.	8.
9.	9.	9.	9.	9.	9.
10.	10.	10.	10.	10.	10.

Cholesterol Reference Method Laboratory Network

Quality Control Results Form for HDL Cholesterol

Report single analyses of any quality control material with a HDL cholesterol concentration of 30 – 60 mg/dL (recommended). Data must be obtained with the analytical system under evaluation and must include the runs used in the split sample comparison.

Please photocopy this blank form and retain it for future comparisons.

Run Number	Date	Result
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		